



CEE Super Efficient Home Appliances Initiative Room Air Conditioner Qualifying Product List May 15, 2023

The list is updated monthly. See the CEE website (www.cee1.org) for the most recent listing.
This list is based on the 2022 CEE Residential Room Air Conditioner Specification.

Key

- Asterisks(*) indicate that a coding variable may be used in place of the asterisks to indicate a color or feature that does not affect efficiency
- *Red italics* indicate that a product has been discontinued. Discontinued models are no longer manufactured, but may still be available in the marketplace.
- *Blue italics* indicate a US-only model.
- *Green italics* indicate a Canada-only model.

[Please click here for a list of models which meet Tier 1 specifications](#)

[Please click here for a list of models which meet Tier 2 specifications](#)

How this list is generated:

Manufacturers submit energy use data to CEE for each model as determined by test procedures set by the US Department of Energy. Models are placed in the tier appropriate to their energy use. Tier eligibility is determined by calculating the percentage of product performance over the Federal Standard, rounded to the nearest whole percent.

CEE does not verify manufacturer data, but does require manufacturers to submit data consistent with what they report to the US Department of Energy. Based on the increased scrutiny by the US Department of Energy and certification and verification process implemented by the US Environmental Protection Agency, you may wish to cross-reference the models listed against the ENERGY STAR® qualified product list.

CEE does not administer rebate programs. Consumers who have questions about filling out rebate forms should contact their local efficiency program administrator, often the local utility.

CEE Brand Information

The CEE logo and service mark must not be used in any manner that would imply CEE endorsement of a company, its products, or its services. That means the CEE logo may not appear in a product description or label. CEE is brand and technology neutral. CEE endorses and promotes levels of efficiency through initiatives and publishes lists of products and services whose manufacturers or providers claim to meet CEE efficiency tiers.

If you reference the name "CEE" or "Consortium for Energy Efficiency," please note:

1. CEE does not endorse, certify, qualify, or brand products. Therefore, it is incorrect to claim that a product is "CEE certified" or "has earned a CEE rating."

2. You may indicate that products qualify for or meet one of the CEE tiers of energy efficiency.

The following phrases are accurate: "(product) meets CEE specifications," "qualifies for a CEE tier," or best of all, "the manufacturer claims appliance x meets CEE tier y." We're happy to review your materials and will do so in a timely manner.

For additional information, please see the Press Kits section of our website: cee1.org/content/press-kits.

We appreciate your support of energy efficiency.

Terms and Conditions for Use of CEE Qualifying Product Lists

CEE grants to a CEE member that is an efficiency program administrator permission to access, use, and download CEE QPL material solely for its own use in its own program administration, and not for resale, republication, or assistance to any non-CEE member. Any entity that would qualify for CEE membership and elects not to become a CEE member may not use this or any other CEE QPL work product except through a licensing arrangement with CEE. Any entity that provides or offers to provide services to any non-CEE member program administrator may not use CEE QPL work products except through a licensing arrangement with CEE.

CEE materials are made available with the understanding that: (a) CEE copyright notice appears on all copies; (b) no modifications to the material are made; (c) you do not claim ownership or rights in the material; (d) the material is not published, reproduced, transmitted, stored, sold, or distributed for profit, including in any advertisement or commercial publication; (e) the materials are not copied or posted on any other Internet site, server or computer network without CEE express consent; and (f) the foregoing limitations have been communicated to all persons who obtain access or use of the materials as the result of your access and use thereof.

CEE does not make, sell or distribute any products or services, other than CEE membership services, and CEE does not play any implementation role in the programs offered and operated by or on behalf of its members. The accuracy of member program information and of manufacturer product information discussed or compiled in this site is the sole responsibility of the organization furnishing such information to CEE, and CEE is not responsible for any inaccuracies or misrepresentations that may appear therein. CEE does not itself test nor cause to be tested any equipment or technology for merchantability, fitness for purpose, product safety, or energy efficiency and makes no claim with respect thereto. CEE qualifying products lists are based on information supplied by manufacturers, either directly or through an independent third-party testing agency. The references and descriptions of products or services within the site are provided "As Is" without any warranty of any kind, express or implied.

CEE is not liable for any damages, including consequential damages, of any kind that may result to the user from the use of the site, or any of the product or services described therein. Although the CEE Internet site is accessible worldwide, products and services discussed in the site are or may be available only in certain locations within the United States or Canada.

Although the CEE Internet site includes links providing direct access to other Internet sites, CEE has not participated in the development of those sites and does not exert any editorial or other control over those other sites.

By using this website you acknowledge and agree to the foregoing terms and conditions of use. If you do not agree to the use terms, you may not access or otherwise use the website. CEE reserves the right to change the terms, conditions, and notices under which this website is offered.

© 2023 Consortium for Energy Efficiency, Inc. All rights reserved.

CEE Qualifying Residential Room Air Conditioners

May 15, 2023

This list is based on the 2022 CEE Residential Room Air Conditioner Specification.
The list is updated monthly. See the CEE website (www.cee1.org) for the most recent listing.

Brand	Model Number (if revision, please use model number as it currently appears on the CEE List)	Cooling Capacity (Btu/hr)	Type	Reverse Cycle (only include models without reverse cycle)	Casement Window	Product Class	Variable Speed Compressor	Low Noise	Refrigerant Type	Refrigerant with GWP	Combined Energy Efficiency Ratio (CEER)	Percent Loss Energy Use than US Federal Standard	Annual Energy Use (kWh/yr)	Is model ENERGY STAR qualified (Yes/No)	ENERGY STAR Most Efficient (Yes/No)	Meets ENERGY STAR Connected Criteria (Yes/No)	Meets CEE Connected Criteria / On-Premise / Open Standards Connectivity	CEE Tier
Tier 1 Room Air Conditioners																		
Amans	A/R3BRE1	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
Amans	AMAP81BWE	6000	Window	No	None	2. Without reverse cycle, with Iq	No	No			12.1	10	372	Yes	No	No	No	1
Amans	AMAP061CW	6000	Window	No	None	2. Without reverse cycle, with Iq	No	No			12.1	10	372	Yes	No	No	No	1
Amans	AMAP081BWE	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
Amans	AMAP081CW	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
Amans	AMAP101CW	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
Amans	AMAP101BWE	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
Amans	AMAP121BWE	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Amans	AMAP121CW	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Amans	AMAP151BWE	15000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	953	Yes	No	No	No	1
Amans	AMAP151CW	15000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	953	Yes	No	No	No	1
Amans	AMAP182BWE	18000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	1144	Yes	No	No	No	1
Amans	AMAP182CW	18000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	1144	Yes	No	No	No	1
Amans	AMAP222BWE	22000	Window	No	None	5a. Without reverse cycle, with Iq	No	No			10.3	10	1602	Yes	No	No	No	1
Amans	AMAP222CW	24000	Window	No	None	5a. Without reverse cycle, with Iq	No	No			10.3	10	1748	Yes	No	No	No	1
Amans	AMAP242CW	24000	Window	No	None	5a. Without reverse cycle, with Iq	No	No			10.3	10	1798	Yes	No	No	No	1
amazonbasics	B0786LPLTV	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	25	625	Yes	No	No	No	1
amazonbasics	B07Y2B3ZV	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
amazonbasics	B07Y2B73L	18000	Window	No	None	4. Without reverse cycle, with Iq	No	No			12	10	1144	Yes	No	No	No	1
amazonbasics	B07Y2B7P3	25000	Window	No	None	5a. Without reverse cycle, with Iq	No	No			10.3	10	1820	Yes	No	No	No	1
amazonbasics	B07Y2C57KD	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
amazonbasics	B07Y2C5Q9	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12.1	10	372	Yes	No	No	No	1
Arctic King	AKW08CR71	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
Arctic King	AKW10CR71	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
Arctic King	AKW12CR71	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Arctic King	AKW15CR71	15000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	953	Yes	No	No	No	1
Arctic King	AKW18CR72	18000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	1144	Yes	No	No	No	1
Arctic King	AKW25CR72E	25000	Window	No	None	5a. Without reverse cycle, with Iq	No	No			10.3	10	1820	Yes	No	No	No	1
Arctic King	KAW15R1AWT	15000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	953	Yes	No	No	No	1
Arctic King	KAW18R2AWT	18000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	1144	Yes	No	No	No	1
Arctic King	KAW25R2AWT	25000	Window	No	None	5a. Without reverse cycle, with Iq	No	No			10.3	10	1820	Yes	No	No	No	1
Arctic King	MWHUK-08CRNB-B	8000	Window	No	None	2. Without reverse cycle, with Iq	No	No			12	25	625	Yes	No	No	No	1
Arctic King	MWHUK-08CRNB-B	6000	Window	No	None	2. Without reverse cycle, with Iq	No	No			12.1	10	372	Yes	No	No	No	1
Arctic King	MWHUK-08CRNB-B	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
Arctic King	MWHUK-08CRNB-B	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
Arctic King	MWHUK-10CRNB-B	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
Arctic King	MWHUK-10CRNB-B	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
Arctic King	MWHUK-12CRNB-B	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Arctic King	MWHUK-12CRNB-B	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Arctic King	MWHUK-12CRNB-B	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Arctic King	MWHUK-15CRNB-B	15000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	953	Yes	No	No	No	1
Arctic King	MWHUK-15CRNB-B	15000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	953	Yes	No	No	No	1
Arctic King	WWK08CW91E-B	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	25	625	Yes	No	No	No	1
Arctic King	WWK15CR91N	15000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	953	Yes	No	No	No	1
Arctic King	AAW12C10UM-PR	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Arctic Wind	1AW15000EA	15000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	953	Yes	No	No	No	1
Arctic Wind	1AW18000EA	18000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	1144	Yes	No	No	No	1
Arctic Wind	1AW24000EA	24000	Window	No	None	5a. Without reverse cycle, with Iq	No	No			10.3	10	1748	Yes	No	No	No	1
Arctic Wind	2AW15000EA	15000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	953	Yes	No	No	No	1
Arctic Wind	2AW18000EA	18000	Window	No	None	4. Without reverse cycle, with Iq	No	No			11.8	10	1144	Yes	No	No	No	1
Arctic Wind	2AW24000EA	24000	Window	No	None	5a. Without reverse cycle, with Iq	No	No			10.3	10	1798	Yes	No	No	No	1
Best Home	57H-DO-08CRNB1-B	8000	Window	No	None	1. Without reverse cycle, with Iq	No	No			12.1	10	310	Yes	No	No	No	1
Best Home	57H-DO-10CRNB1-B	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
Best Home	57H-DO-12CRNB1-B	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Best Home	57H-F-TWAC08CF	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
Best Home	57H-F-TWAC10CF	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
Best Home	57H-F-TWAC12CF	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Black + Decker	BD08WT6	8000	Window	No	None	2. Without reverse cycle, with Iq	No	No			12.1	10	372	Yes	No	No	No	1
Black + Decker	BD08WT6	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
Black + Decker	BD10WT6	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
Black + Decker	BD12WT6	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Black + Decker	BWAM10W**	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
Black + Decker	BWAM12W**	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Black + Decker	BWAM8W**	8000	Window	No	None	2. Without reverse cycle, with Iq	No	No			12.1	10	372	Yes	No	No	No	1
Black + Decker	BWAM8W**	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
BLACK+DECKER	BWAC10WT	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
BLACK+DECKER	BWAC12WT	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
BLACK+DECKER	BWAC08WT	8000	Window	No	None	2. Without reverse cycle, with Iq	No	No			12.1	10	372	Yes	No	No	No	1
BLACK+DECKER	BWAC08WT	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
BLACK+DECKER	BD10WT6	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
BLACK+DECKER	BD12WT6	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
BLACK+DECKER	BWAC08WTB	8000	Window	No	None	2. Without reverse cycle, with Iq	No	No			12.1	10	372	Yes	No	No	No	1
BLACK+DECKER	BWAC08WTB	8000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	500	Yes	No	No	No	1
BLACK+DECKER	BWAC10WTB	10000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
BLACK+DECKER	BWAC12WTB	12000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	750	Yes	No	No	No	1
Breeze33	BZ3315WAC1	15000	Window	No	None	3. Without reverse cycle, with Iq	No	No			12	10	625	Yes	No	No	No	1
Breeze33	BZ3317WAC1	17000	Window	No	None	3. Without reverse cycle, with Iq												

Product Name	Model	Capacity	Configuration	Control	Filter	Refrigerant	Dimensions (HxWxD)	Weight	Energy Efficiency	SEER	SCoP	Indoor Air Quality	Sound Power Level	Sound Pressure Level	Other Features
Cool-living	CL-RAC08EWES-2	8100	Window	No	None	3. Without reverse cycle, with Id	No	12	10	506	Yes	No	No	No	1
Cool-living	CL-RAC08EWES-6	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Cool-living	CL-RAC10EWES	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Cool-living	CL-RAC10EWES-2	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Cool-living	CL-RAC12EWES-4	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Cool-living	CL-RAC12EWES	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Cool-living	CL-RAC12EWES-2	12100	Window	No	None	3. Without reverse cycle, with Id	No	12	10	756	Yes	No	No	No	1
Cool-living	CL-RAC12EWES-6	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Cool-living	CL-RAC15EWES	15000	Window	No	None	3. Without reverse cycle, with Id	No	11.8	10	953	Yes	No	No	No	1
Cool-living	CL-RAC15EWES-2	15000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	953	Yes	No	No	No	1
Cool-living	CL-RAC15EWES-6	15000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	953	Yes	No	No	No	1
Cool-living	CL-RAC18EWES	18000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	1144	Yes	No	No	No	1
Cool-living	CL-RAC18EWES-2	18000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	1144	Yes	No	No	No	1
Cool-living	CL-RAC24EWES	24000	Window	No	None	5a. Without reverse cycle, with Id	No	10.3	10	1748	Yes	No	No	No	1
Cool-living	CL-RAC24EWES-2	24700	Window	No	None	5a. Without reverse cycle, with Id	No	10.3	10	1738	Yes	No	No	No	1
Coolworks	MWFK-08CRN1-B	8000	Through the Wall	No	None	3a. Without reverse cycle, with Id	No	12	25	500	Yes	No	No	No	1
Coolworks	MWHLK-08CRN8-B	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Coolworks	MWHLK-10CRN8-B	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Coolworks	MWHLK-12CRN8-B	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Cresley	CATS08A1	8000	Window	No	None	2. Without reverse cycle, with Id	No	12.1	10	372	Yes	No	No	No	1
Cresley	CATS08B1	8000	Window	No	None	3. Without reverse cycle, with Id	No	12.1	10	372	Yes	No	No	No	1
Cresley	CATS08A1	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Cresley	CATS08B1	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Cresley	CATS10A1	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Cresley	CATS10B1	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Cresley	CATS10C1	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Cresley	CATS12A1	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Cresley	CATS12B1	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Cresley	CATS12C1	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Cresley	CATS15A1	15000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	953	Yes	No	No	No	1
Cresley	CATS15B1	15000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	953	Yes	No	No	No	1
Cresley	CATS18A2	18000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	1144	Yes	No	No	No	1
Cresley	CATS18B2	18000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	1144	Yes	No	No	No	1
Cresley	CATS24A2	24000	Window	No	None	5a. Without reverse cycle, with Id	No	10.3	10	1748	Yes	No	No	No	1
Cresley	CATS24B2	24000	Window	No	None	5a. Without reverse cycle, with Id	No	10.3	10	1738	Yes	No	No	No	1
Daewoo	DWC-F06C1KRC-Y	6000	Window	No	None	2. Without reverse cycle, with Id	No	12.1	10	372	Yes	No	No	No	1
Daewoo	DWC-F08C1KRC-Y	8000	Window	No	None	2. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Darby	DAC08EB6	8000	Window	No	None	2. Without reverse cycle, with Id	No	12.1	10	372	Yes	No	No	No	1
Darby	DAC08EB7	8000	Window	No	None	2. Without reverse cycle, with Id	No	12.1	10	372	Yes	No	No	No	1
Darby	DAC08EB7-WDB	8000	Window	No	None	2. Without reverse cycle, with Id	No	12.1	10	372	Yes	No	No	No	1
Darby	DAC08EB8	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Darby	DAC08EB4	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Darby	DAC08EB6	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Darby	DAC08EB7	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Darby	DAC08EB7-WDB	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Darby	DAC100B5	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Darby	DAC100B6WDB	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Darby	DAC100EB6	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Darby	DAC100EB7	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Darby	DAC120B7	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Darby	DAC120B7-WDB	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Darby	DAC120B7DB-6	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Darby	DAC120EB6	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Darby	DAC120EB7	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Darby	DAC120EB8WDB	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Darby	DAC120EB8WDB-6	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Darby	DAC150B2	15100	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	960	Yes	No	No	No	1
Darby	DAC180BBU	18000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	1144	Yes	No	No	No	1
Darby	DAC180EB2	18000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	1144	Yes	No	No	No	1
Darby	DAC180EB3WDB	18000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	1144	Yes	No	No	No	1
Darby	DAC250BBU	25000	Window	No	None	5a. Without reverse cycle, with Id	No	10.3	10	1820	Yes	No	No	No	1
Darby	DAC250B2	25000	Window	No	None	5a. Without reverse cycle, with Id	No	10.3	10	1820	Yes	No	No	No	1
Darby	DAC250B3WDB	25000	Window	No	None	5a. Without reverse cycle, with Id	No	10.3	10	1820	Yes	No	No	No	1
DELLA	048-TL-W10KW	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
DELLA	048-TL-W12KW	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
DELLA	048-TL-W8KW	8000	Window	No	None	2. Without reverse cycle, with Id	No	12.1	10	372	Yes	No	No	No	1
DELLA	048-TL-W8KW	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
DELLA	049-TL-WAC10K	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
DELLA	048-TL-WAC10K32	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
DELLA	048-TL-WAC12K	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
DELLA	048-TL-WAC12K32	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
DELLA	049-TL-WAC15K	15000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	953	Yes	No	No	No	1
DELLA	049-TL-WAC18K	18000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	1144	Yes	No	No	No	1
DELLA	049-TL-WAC24K	24000	Window	No	None	5a. Without reverse cycle, with Id	No	10.3	10	1748	Yes	No	No	No	1
DELLA	048-TL-WAC32K	32000	Window	No	None	2. Without reverse cycle, with Id	No	12.1	10	372	Yes	No	No	No	1
DELLA	049-TL-WAC32K	32000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
DELLA	048-TL-WAC32K	32000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
DENALIARE	1DAC10K	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
DENALIARE	1DAC12K	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
DENALIARE	1DAC15K	15000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	953	Yes	No	No	No	1
DENALIARE	1DAC18K	18000	Window	No	None	4. Without reverse cycle, with Id	No	11.8	10	1144	Yes	No	No	No	1
DENALIARE	1DAC24K	24000	Window	No	None	5a. Without reverse cycle, with Id	No	10.3	10	1748	Yes	No	No	No	1
DENALIARE	1DAC6K	6000	Window	No	None	2. Without reverse cycle, with Id	No	12.1	10	372	Yes	No	No	No	1
DENALIARE	1DAC8K	8000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Emerson	ERRC10RE1	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Emerson	ERRC12RE1	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	750	Yes	No	No	No	1
Emerson Quiet Cool	ERRC10RE1H	10000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	500	Yes	No	No	No	1
Emerson Quiet Cool	ERRC12RE1H	12000	Window	No	None	3. Without reverse cycle, with Id	No	12	10	625	Yes	No	No	No	1
Emerson Quiet Cool	ERRC10RE1T	10000	Window	No	None	3. Without									

